

To: OBrien, Wendy[OBrien.Wendy@epa.gov]
Cc: Ostrander, David[Ostrander.David@epa.gov]; Way, Steven[way.steven@epa.gov]; Myers, Craig[Myers.Craig@epa.gov]; Wall, Dan[wall.dan@epa.gov]
From: McComb, Martin
Sent: Tue 8/11/2015 11:00:16 AM
Subject: Re: Graphs

They should be Totals but I will double check.

We are expecting a round of comments and changes so please provide. These were meant to be auto updated and used for Joe Schmo public.

Sent from my iPhone

On Aug 11, 2015, at 4:57 AM, OBrien, Wendy <OBrien.Wendy@epa.gov> wrote:

Are these total or dissolved metals?

Big thanks to you and your crew for getting these pulled together.

Wendy O'Brien, DVM, PhD, DABT

Toxicologist, Ecosystems Protection and Remediation

USEPA Region 8

1595 Wynkoop Street

Denver, CO 80202

Phone: 303.312.6712

FAX: 303.312.7151

From: McComb, Martin

Sent: Monday, August 10, 2015 10:45 PM

To: Ostrander, David; Way, Steven; Myers, Craig; Wall, Dan; OBrien, Wendy

Subject: Fwd: Graphs

Ok. This is what we got.

We have no data from the 32 street bridge after Aug 6 so we did not add that graph. I assume it wasn't sampled.

The dotted line is a software issue, sorry.

The Durango lab hasn't reported Aug 7 results. They say tomorrow. Gold star to Dan Wall for pulling all the others when he did.

We have no Aug 9 yet results for Bakers Bridge and CC48.

Remember you can pull a reference map from Joan's first data update document.

Anything else tonight. I'd like to send my crew to sleep. They got the validation ball rolling....

M

Begin forwarded message:

From: "Lucotch, John" <John.Lucotch@WestonSolutions.com>
Date: August 10, 2015 at 10:14:49 PM MDT
To: "'McComb.Martin@epa.gov'" <McComb.Martin@epa.gov>
Cc: "Adamczyk, Megan" <Megan.Adamczyk@WestonSolutions.com>, "jmiller@techlawinc.com" <jmiller@techlawinc.com>
Subject: Graphs

See attached.

Thanks

John Lucotch

IT Manager

Phone: 970-301-1416

Weston Solutions, Inc.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.